Inter-laboratory Quality Control Material Data Sheet

QC Material ID: 15977-QC-PR13009

Product Type: Super Phosphate

Issue Date: 24 August 2026

Expiry Date: 25 March 2030

Test Name	n Values	Assigned Value	Assigned Range
Cadmium (mg/kg)	9	17.67	15.90 - 19.45
Calcium (g/100g)	12	20.16	17.28 - 23.04
Citric Acid Soluble P (g/100g)	8	7.89	7.52 - 8.25
Fluoride (%)	9	2.12	1.90 - 2.33
Free Acid (as H3PO4) (g/100g)	4 *	0.72	0.00 - 1.76
Free Acid (as P) (g/100g)	6 *	0.14	0.04 - 0.24
Moisture (g/100g)	10	4.40	2.75 - 6.05
Sulphate-Sulphur(as S)(g/100g)	7 *	11.33	10.78 - 11.88
Total Phosphorus (g/100g)	7 *	9.11	8.86 - 9.36
W-Soluble Phosphorus (g/100g)	8	7.47	7.06 - 7.89

** n Values < 8 are indicative only and should be used with caution*

Homogeneity: This QC material has been assessed as homogeneous for use in an Inter-Laboratory Proficiency Study

Stability: An expiry period consistent with the shelf life of the product, experience, and technical advice has been applied

Values: The *Assigned Value* is the consensus mean from an inter-laboratory proficiency round excluding outliers; *n Values* are the number of results used to calculate the assigned value. The *Assigned Range* is 2 standard deviations of *n Values*.

Methods: Multiple methods were used in the preparation of these assigned values.



Global Proficiency Ltd
10 Bisley Road, Enderley, Hamilton 3214, New Zealand
Unit 2/25 Mareno Road, Tullamarine, VIC 3043, Australia
p +64 7 850 4483 | +61 3 9089 1151
e sales@global-proficiency.com
w www.global-proficiency.com

Version 2