Inter-laboratory Quality Control Material Data Sheet

QC Material ID: 17905-QC-PR12899

Product Type: Pharmaceutical Lactose

Issue Date: 3 June 2026

Expiry Date: 2 March 2029

Test Name	n Values	Assigned Value	Assigned Range
Moist LOD (%)	8	0.09	0.01 - 0.17
pH 10% solution (pH units)	8	4.29	4.13 - 4.45
Total Moisture KF (%)	6 *	5.01	4.67 - 5.35

** n Values < 8 are indicative only and should be used with caution*

Description: 80 g+ packaged in a foil-laminated sachet

Homogeneity: This QC material has been assessed as homogeneous for use in an Inter-Laboratory Proficiency Study

Stability: An expiry period consistent with the shelf life of the product, experience, and technical advice has been applied

Values: The *Assigned Value* is the consensus mean from an inter-laboratory proficiency round excluding outliers; *n Values* are the number of results used to calculate the assigned value. The *Assigned Range* is 2 standard deviations of *n*

Methods: Multiple methods were used in the preparation of these assigned values.

Global Proficiency Ltd
10 Bisley Road, Enderley, Hamilton 3214, New Zealand
Unit 2/25 Mareno Road, Tullamarine, VIC 3043, Australia
p +64 7 850 4483 | +61 3 9089 1151
e sales@global-proficiency.com
w www.global-proficiency.com

Version 2